## 2018 Civic Hatchback

Targe (Both, Eleyprny)	NGINE	LX	SPORT	SPORT TOURING
Tac glood (CAT)   Sign glood (		• 174 @ FEOO (MT)/	• 190 @ FEOO (MT)/	• 190 @ FEOO (MT)/
Table   Three   Section   Table   Three   Three   Table   Ta	iorsepower @ rpm			180 @ 6000 (CVT)
Tex 3 Am 155		162 @ 1700-5500 (CVT)	162 @ 1700-5500 (CVT)	177 @ 1900-5000 (MT) 162 @ 1700-5500 (CVT
10   10   10   10   10   10   10   10				
compression ratio         10.6.3         10.6.3         10.6.3           reb. byWiter florted system         1         1         1         1         1         1         1         1         1         1         1         1         1         2         2         1         1         2         2         2         1         1         2	0			
Pre-   December   De	, ,	73 x 89.5		73 x 89.5
20 ASSIGN**   System**   Segular   Permium	•	10.6:1	10.6:1	10.6:1
		•	•	•
Page			•	•
### PROPRIATE PR	ecommended fuel	Regular	Premium	Premium
Available   Avai		LX	SPORT	SPORT TOURING
CON mode   batton   CON mode				
	ontinuously variable transmission (CVT)	Available	Available	Available
Table   Tabl	CON mode button	•	•	•
IASSISS  IA MUNIFUM—alloy wheels (aero design)  I aluminum—alloy wheels (aero design)  I aluminum—alloy wheels (aero design)  I aluminum—alloy wheels (dark)  I eleasaon fires	ront-wheel drive	•	•	•
"I aluminum-alloy wheels (earlo design)" aluminum-alloy wheels (earlo design) aluminum-alloy (earlo design) alum	teering wheel-mounted paddle shifters		CVT model	CVT model
** displantion-alloy wheels (clark) gle handling Assid* (AHA)	HASSIS	LX	SPORT	SPORT TOURING
gile Handling Assidt* (AHA)		•		
Liseabon times applies fileding system   P215/58 RIB 93H   P225/40 RIB 91W   P225/			•	•
aplaes fabling system arable Ratio Electric Rower-Assisted Rack-and-Pinion Steering (EPS) lectronic Parking Brake (EPB) with automatic brake hold ledependent struit infiv rear suspension ledependent multi-link rear suspension le	9 , ,	•	•	•
artable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS) Lectronic Parking Ravk (EPB) with automatic brake hold  cont and rear stabilizer bars (mm)  dependent strutt front suspension  dependent strutt front suspension  dependent strutt in rort suspension  dependent strutt in rort suspension  cover-assisted, ventilated front disc/solid rear disc brakes  cover-assisted, ventilated front disc/solid rear disc brakes - front/rear (mm)  282/280  28	ll-season tires	P215/55 R16 93H	P235/40 R18 91W	P235/40 R18 91W
Ilectronic Parking Brake (FPR) with automatic brake hold on the parking Brake (FPR) with automatic brake hold on the parking Brake (FPR) with automatic brake hold on the parking brake (FPR) with automatic brake hold on the parking brake (FPR) with automatic brake hold on the parking brake (FPR) with automatic brakes (FPR) with automat	·	•	•	•
root and rear stabilizer bars (mm) dependent strut front suspension independent strut front suspension independent strut front suspension independent strut front suspension independent strut front disc/solid rear disc brakes  ower-assisted, ventilated front disc/solid rear disc brakes  ower-assisted, ventilated and cross drilled front disc/solid rear disc brakes  traight Driving Assist  emporary spare tire  IT25/80 D16 97M IT25/70 D17 98M IT2	9, ,	•	•	•
Independent strutt front suspension dependent multi-link rear suspension ower-assisted, ventilated front disc/solid rear disc brakes ower-assisted, ventilated front disc/solid rear disc brakes - front/rear (mm) ower-assisted, ventilated front disc/solid rear disc brakes - front/rear (mm)  288/260 289/	lectronic Parking Brake (EPB) with automatic brake hold	•	•	•
Separated multi-link rear suspension owner-assisted, ventilated front disc/solid rear disc brakes   Separated ventilated and cross drilled front disc/solid rear disc brakes   Separated ventilated and cross drilled front disc/solid rear disc brakes   Separated ventilated and cross drilled front disc/solid rear disc brakes   Front/rear (mm)   282/260   2	ront and rear stabilizer bars (mm)	25.5/16.0	25.5/16.0	25.5/16.0
ower assisted, ventilated front disc/solid rear disc brakes front/rear (mm) 282/260 28	dependent strut front suspension	•	•	•
ower assisted, ventilated and cross drilled front disc/solid rear disc brakes – front/rear (mm)  traight Driving Assist  traight Driving Assist Automatic Emergency Response System? (ABS)  Table Assist  Traight Driving Assist  Available on CVT only  Traight Driving Assist Automatic Emergency Response System? (ABS)  Traight Driving Assist Automatic Emergency Response System? (ABS)  Traight Driving Assist Automatic Emergency Response System? (ABS)  Traight Driving Assist Automatic Englance Assist Automatic Emergency Response System? (ABS)  Traight Driving Assist Automatic Emergency Response System? (ABS)	ndependent multi-link rear suspension	•	•	•
traight Driving Assist emporary spare tire  T125/80 D16 97M T125/70 D17 98M T1	ower-assisted, ventilated front disc/solid rear disc brakes	•	•	•
temporary spare tire 1125/80 D16 97M 1125/70 D17 98M 17125/70 D17 98M 1712	ower-assisted, ventilated and cross drilled front disc/solid rear disc brakes – front/rear (mm)	282/260	282/260	282/260
LX   SPORT OUR ING   SPORT TOUR ING	traight Driving Assist	•	•	•
-wheel Anti-lock Braking System <sup>14</sup> (ABS)  turb high beam  Bhonda Sensing <sup>118</sup> trims only  trins only  trims only  trins only  tris control  nover only  tris delta delta on CVT only  tris delta delta on CVT only  tris delta delta en CVT only  tris delta delta en CVT only  tris delta delta en CVT only  tri	emporary spare tire	T125/80 D16 97M	T125/70 D17 98M	T125/70 D17 98M
### Bonds Sensing** ### Honds Sensing** ### Honds Sensing** ### Prims only ### P	CTIVE SAFETY	LX	SPORT	SPORT TOURING
trims only trims only trims only trims only trims only rake Assist   lectronic Brake-force Distribution (EBD)	- · · · · · · · · · · · · · · · · · · ·		•	•
rake Assist lectronic Brake-force Distribution (EBD) lectronic Brake-force Dis	uto high beam			•
Tollision Mitigation Braking System™ (CMBS™) (HSr*)  Available on CVT only  ED daytimer running (LDW) system² (HSr*)  Available on CVT only  Available on CVT only  Available on CVT only  CVT only  Available on CVT only  Available on CVT only  CVT only  Available on CVT only  Available on CVT only  Available on CVT only  Available on CVT only  CVT only  Available on CVT only  Available on CVT only  Available on CVT only  CVT only  Available on CVT only  Available on CVT only  Available on CVT only  CVT only  Available on CVT only  Available on CVT only  Available on CVT only  CVT only  Available on CVT only  Available on CVT only  CVT only  Available on CVT only  Available on CVT only  Available on CVT only  CVT only  Available on CVT only  Available on CVT only  CVT only  CVT only  Available on CVT only  Availabl	rake Assist	•	•	•
ollision Mitigation Braking System*** (CMBS*) (HS*)  Available on CVT only  Available on CVT only  CVT only  CVT only  Available on CVT only  CVT only  CVT only  CVT only  Available on CVT only  CVT	lectronic Brake-force Distribution (EBD)	•	•	•
Available on CVT only   CVT only   Ill Start Assist?   CVT only	ollision Mitigation Braking System™² (CMBS®) (HS*)	Available on CVT only	CVT only	•
Itill Start Assist <sup>2</sup> ane Departure Warning (LDW) system <sup>2</sup> (HS*) Available on CVT only CVT only ebbed beparture Warning (LDW) system <sup>2</sup> (HS*) Debyeath of the Honda Sensing system <sup>2</sup> (HS*) Available on CVT only CVT only ebbed beparture Mitigation (RDM) system <sup>2</sup> (HS*) Available on CVT only CVT only ebbed beparture Mitigation (RDM) system <sup>2</sup> (HS*) Available on CVT only CVT only ebbed beparture Mitigation (RDM) system <sup>2</sup> (HS*) Available on CVT only CVT only ebbed beparture Mitigation (RDM) system <sup>2</sup> (HS*) Available on CVT only CVT only ebbed beparture Mitigation (RDM) system <sup>2</sup> (HS*) Available on CVT only CVT only ebbed beparture Mitigation (RDM) system <sup>2</sup> (HS*) Available on CVT only SPORT TOURING Available seat belt anchors in the Honda Sensing system (Front) Available on CVT only SPORT TOURING Available seat belt anchors in the Honda Sensing system (Front) Available on CVT only SPORT TOURING Available on CVT only CVT only only only adaptive Cruise Control (ACC) <sup>2</sup> with Low-Speed Follow (HS*) Available on CVT only only only only only only only only	orward Collision Warning (FCW) system <sup>2</sup> (HS*)		CVT only	•
ED daytime running lights  and Departure Mitigation (RDM) system² (HS*)  Available on CVT only  cVT only  ehicle Stability Assist² (VSA*) with Traction Control  S* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  ****  ****  ****  ****  ****  ***	ill Start Assist <sup>2</sup>	•	*	•
ED daytime running lights oad Departure Mitigation (RDM) system² (HS*) Available on CVT only chicle Stability Assist² (VSA*) with Traction Control s* - Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  ***********************************		Available on CVT only	CVT only	•
ehicle Stability Assist² (VSA®) with Traction Control safety and driver assist features.  *** Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  *** SPORT TOURING**  *** SPORT TOURING**  *** Popint seat belts with front automatic tensioning system**  ** Popint seat belts with a		•	*	•
ehicle Stability Assist² (VSA®) with Traction Control safety and driver assist features.  *** Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  *** SPORT TOURING**  *** SPORT TOURING**  *** Popint seat belts with front automatic tensioning system**  ** Popint seat belts with a	oad Departure Mitigation (RDM) system <sup>2</sup> (HS*)	Available on CVT only	CVT only	•
ASSIVE SAFETY  LX SPORT SPORT TOURING  -point seat belts with front automatic tensioning system -point seat belts with four sport on tension -point s		•	•	•
Popint seat belts with front automatic tensioning system  lext-Generation Advanced Compatibility Engineering™ (ACE™) body structure  childproof rear door locks  SRS airbag system (front)  ront height-adjustable seat belt anchors  rich theight-adjustable seat belt anchors  rich thei	IS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.			
Popint seat belts with front automatic tensioning system  lext-Generation Advanced Compatibility Engineering™ (ACE™) body structure  hildproof rear door locks  SRS airbag system (front)  SRS airbag system (front)  orn theight-adjustable seat belt anchors  offective curtain airbags with rollover sensor system  martVent™ side airbags  ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² with Low-Speed Follow (HS²)  daptive Cruise Control (ACC)² with Low-Speed Follow (HS²)  tonda LaneWatch™ blind spot display²  • • • • • • • • • • • • • • • • • • •	ASSIVE SAFETY	LX	SPORT	SPORT TOURING
iext-Generation Advanced Compatibility Engineering™ (ACE™) body structure  indidproof rear door locks  SRS airbag system (front)  ront height-adjustable seat belt anchors  ide curtain airbags with rollover sensor system  martVent™ side airbags  indide curtain airbags with rollover sensor system  martVent™ side airbags  indide airba	-point seat belts with front automatic tensioning system	•	•	•
hildproof rear door locks  SRS airbag system (front)  ront height-adjustable seat belt anchors  ront height-adjustable seat belt anchors  ide curtain airbags with rollover sensor system  martVent™ side airbags  ront height-adjustable seat belt anchors  ide curtain airbags with rollover sensor system  martVent™ side airbags  ront height-adjustable seat belt anchors  ide curtain airbags with rollover sensor system  ront height-adjustable seat belt anchors  ide curtain airbags with rollover sensor system  ront height-adjustable seat belt anchors  ide curtain airbags with rollover sensor system  ront height-adjustable seat belt anchors  ide curtain airbags with rollover sensor system  ront height-adjustable seat belt anchors  ront height		•		•
SRS airbag system (front)  ront height-adjustable seat belt anchors  ide curtain airbags with rollover sensor system  martVent™ side airbags  in the side a	, , , , ,			•
ront height-adjustable seat belt anchors ront height-adjustable seat belt anchors ront height-adjustable seat belt anchors ride curtain airbags with rollover sensor system remartVent™ side airbags rondaLink™ Assist Automatic Emergency Response System².3.4 rondaLink™ Assist A	•	•	•	
ide curtain airbags with rollover sensor system  martVent™ side airbags  ondaLink™ Assist Automatic Emergency Response System².3.4  ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  onda LaneWatch™ blind spot display²  • • • • • • • • • • • • • • • • • • •		•	•	
martVent™ side airbags  ondaLink™ Assist Automatic Emergency Response System².3.4  ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  daptive Cruise Control (ACC)² (HS*)  onda LaneWatch™ blind spot display²  • • • •	<u> </u>	•	•	
ondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> over Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  daptive Cruise Control (ACC)² (HS*)  onda LaneWatch™ blind spot display²  • • • • • • • • • • • • • • • • • • •		•	•	
over Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  daptive Cruise Control (ACC)² (HS*)  onda LaneWatch™ blind spot display²  • • • •		•	•	
RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  daptive Cruise Control (ACC)² (HS*)  onda LaneWatch™ blind spot display²  • • •		•	•	
daptive Cruise Control (ACC)² with Low-Speed Follow (HS*)  daptive Cruise Control (ACC)² (HS*)  onda LaneWatch™ blind spot display²  •  CVT only  MT only	, ,			
daptive Cruise Control (ACC)² (HS*)  Ionda LaneWatch™ blind spot display²  • • •				
londa LaneWatch™ blind spot display² • •		Available on CVT only	CVT only	
				MT only
ane Keeping Assist System (LKAS)² (HS*)  Available on CVT only  CVT only			•	•
	ane Keeping Assist System (LKAS) <sup>2</sup> (HS*)	Available on CVT only	CVT only	•

EXTERIOR	LX	SPORT	SPORT TOURING
Body-coloured bumpers	•	•	•
Body-coloured door handles	•	•	•
Body-coloured rear roofline spoiler	•	•	
Dual centre exhaust with chrome finisher		•	•
Fog lights		•	•
Folding door mirrors	•	•	•
Front splash guards	•		
Heated power door mirrors, body-coloured	•	•	•
Intermittent windshield wipers	•		
Intermittent rear window wiper/washer	•	•	•
LED front turn signal indicators			•
LED headlights (High and low beam)			With auto-on/off
LED taillights	•	•	•
Mirror-integrated LED turn signal indicators			•
Power moonroof with tilt feature		•	•
Projector-beam halogen headlights	With auto-on/off	With auto-on/off	
Rain-sensing windshield wipers			•
Rear window defroster	•	•	•
Shark fin antenna	•	•	•
Skirt package (front, side and rear)		•	•
Speed-sensing, variable intermittent windshield wipers		•	•
COMFORT & CONVENIENCE	LX	SPORT	SPORT TOURING
12-volt power outlet	1	1	1
7" colour TFT centre meter display with Driver Information Interface	•	•	•
Acoustic windshield	•	•	•
Auto-dimming rearview mirror			•
Automatic climate control with air-filtration system	•	Dual-zone	Dual-zone
Cargo area light	•	•	•
Display Audio System² with Honda Satellite-Linked Navigation System™2.5			•
with bilingual Voice Recognition			
Driver's and front passenger's vanity mirrors	•	Illuminated	Illuminated
Exterior temperature indicator	•	•	•
Front and rear door pockets	•	•	•
HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface <sup>2,3</sup>	•	•	•
Immobilizer theft-deterrent system	•	•	•
Maintenance Minder™ system	•	•	•
Map lights	•	•	•
Multi-angle rearview camera <sup>2</sup> with dynamic guidelines  Multi-functional centre console storage	•	•	•
One-touch turn signals	•	•	•
Passenger-side seatback pocket	·	•	•
Power windows with auto-up/down driver's and passenger's window	•	•	•
Power door locks	•	•	•
Proximity key entry system with pushbutton start	•	•	•
Rear armrest with cupholders		•	•
Rear-seat heater ducts	•		•
Remote engine starter		CVT only	CVT only
Remote entry system with electronic trunk release	•	Ovionity	CVTOIN
Retractable cargo cover	•		
Security system	•	•	
Steering wheel-mounted cruise control	•	•	•
Textured aluminum pedals	•		
Tilt and telescopic steering column			•
Walk-away door lock	•	•	•
Wireless charging		•	•
ANILOGOS CHAIRING			•

SEATING & TRIM	LX	SPORT	SPORT TOURING
Seating capacity	5	5	5
60/40 split fold-down rear seatback	•	•	•
Driver's seat with 6-way manual adjustment	•	•	
Driver's seat with 8-way power adjustment			•
ront passenger's seat with 4-way manual adjustment	•	•	
Front passenger's seat with 4-way power adjustment			•
loor mats	•	•	•
Heated front seats	•	•	•
leated rear seats			•
eather-trimmed seating surfaces			•
eather-wrapped steering wheel		•	•
NTERTAINMENT	LX	SPORT	SPORT TOURING
80-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 8 speakers 542-watt AM/FM Premium audio system with MP3/Windows Media® Audio playback capability and 12 speakers ncluding subwoofer	•	•	•
pple CarPlay <sup>™2,3</sup> /Android Auto <sup>™2,3</sup>	•	•	•
luetooth® Streaming Audio <sup>2,3</sup>	•	•	•
isplay Audio System² with HondaLink™².3	•	•	Including Navigation <sup>2,5</sup>
D Radio™6			•
luminated steering wheel-mounted audio controls	•	•	•
iri Eyes Free compatibility <sup>2,3</sup>	•	•	•
iriusXM™2,7			•
MS text message <sup>2,3</sup> /E-mail function <sup>2,3</sup>	•	•	•
peed-sensitive Volume Control (SVC)	•	•	•
SB device connector <sup>3</sup>	2	2	2
Vi-Fi tethering <sup>3</sup>	•	•	•
UEL ECONOMY <sup>®</sup> (L/100 KM)	LX	SPORT	SPORT TOURING
continuously variable transmission (City/Hwy/Combined)	7.7/6.0/6.9	7.9/6.6/7.3	7.9/6.6/7.3
fanual transmission (City/Hwy/Combined)	8.0/6.2/7.2	8.0/6.2/7.2	8.0/6.2/7.2
IMENSIONS	LX	SPORT	SPORT TOURING
argo volume – rear seats up/down <sup>9</sup> (L)	727.7/1308.2	727.7/1308.2	727.7/1308.2
Curb weight – MT/CVT (kg)	, 1290/1321 1326 (Honda Sensing™ model )	1321/1351	1340/1370
uel tank capacity (L)	46.9	46.9	46.9
round clearance - no-load/full-load (mm)	133/109	128/109	128/109
eadroom – front/rear (mm)	998/950	954/949	954/949
eight (mm)	1434	1429	1429
ip room – front/rear (mm)	1364/1240	1364/1240	1364/1240
egroom – front/rear (mm)	1074/916	1074/916	1074/916
ength (mm)	4519	4519	4519
assenger volume (L)	2752	2684	2684
houlder room – front/rear (mm)	1448/1398	1446/1398	1446/1398
rack - front/rear (mm)	1547/1563	1537/1553	1537/1553
urning radius (m) (curb-to-curb)	5.4	5.7	5.7
Wheelbase (mm)	2700	2700	2700
Vidth – including mirrors/mirrors folded (mm)	2076/1878	2087/1878	2087/1878

<sup>1.</sup> Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

Horsepower and torque calculations reflect SAE net, Rev. (8)(04, SAE J.1349 procedures.
 None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
 Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. connection to vehicle's built-in Wi-Fi hotspot, or 2. GPS satellite signal reception and available cellular data and/or voice connection; associated charges (incl. data plans, roaming charges and/or other amounts charged by your wireless carrier) may apply.
 Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.

<sup>5.</sup> Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

<sup>6.</sup> Coverage varies by market.

<sup>7.</sup> Only available in certain areas. Includes a no-charge trial of three months.

<sup>8.</sup> Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.
9. Based on SAE J1100 cargo volume measurement standard, plus rear footwell space and front seats moved forward.