ENGINE	DX	LX	SE	EX	EX-L NAV
.5-litre, 16-valve, Direct Injection, DOHC, i-VTEC® 4-cylinder	•	•	•	•	•
Horsepower @ rpm <sup>1</sup>	130 @ 6600	130 @ 6600	130 @ 6600	130 @ 6600	130 @ 6600
Forque (lbft. @ rpm) <sup>1</sup>	114 @ 4600	114 @ 4600	114 @ 4600	114 @ 4600	114 @ 4600
pisplacement (cc)	1498 Tier 2 Bin 5	1498 Tier 2 Bin 5	1498 Tier 2 Bin 5	1498	1498
missions rating ore and stroke (mm)	73 x 89.5	73 x 89.5	73 x 89.5	Tier 2 Bin 5 73 x 89.5	Tier 2 Bin 5 73 x 89.5
ompression ratio	11.5:1	75 X 69.5 11.5:1	75 X 69.5 11.5:1	75 X 69.5 11.5:1	11.5:1
rive-by-Wire Throttle System™	•	•	•	•	•
co Assist™ system	•	•		•	•
Recommended fuel	Regular	Regular	Regular	Regular	Regular
DRIVETRAIN	DX	LX	SE	EX	EX-L NAVI
continuously variable transmission (CVT)	DX	Available	Available		EX ENAVI
-speed manual transmission (MT)		Available	Available	•	•
steering wheel-mounted paddle shifters				•	•
CON mode button		CVT model	CVT model	•	•
	DV			FV	EV I NAVI
ODY/SUSPENSION/CHASSIS Wheels	DX 15" with full covers	LX 15" with full covers	SE 16" alloy	EX 16" alloy	EX-L NAVI 16" alloy
All-season tires	P185/60 R15 84T	P185/60 R15 84T	P185/55 R16 83H	P185/55 R16 83H	P185/55 R16 83H
Compact spare tire	T135/80 D15 99M	T135/80 D15 99M	T135/80 D15 99M	T135/80 D15 99M	T135/80 D15 99M
lectric Power-Assisted Rack-and-Pinion Steering (EPS)	1133/60 013 99141	1133/60 013 9914	1133/60 013 99141	1133/60 013 99141	1133/60 013 991
tabilizer bars – front (mm)	25.4	25.4	25.4	25.4	25.4
AcPherson strut front suspension	•	•	•	•	•
teering wheel turns, lock-to-lock	2.51	2.51	2.51	2.51	2.51
orsion-beam rear suspension	•	•	•	•	•
ower-assisted, ventilated front disc/rear drum brakes	•	•	•	•	•
Init-body construction	•	•	•	•	•
ACTIVE SAFETY	DX	LX	SE	EX	EX-L NAVI
I-wheel Anti-lock Braking System <sup>2</sup> (ABS)	•	•	•	•	•
rake Assist	•	•	•	•	•
lectronic Brake-force Distribution (EBD)	•	•	•	•	•
fill Start Assist <sup>2</sup>	•	•	•	•	•
ehicle Stability Assist <sup>2</sup> (VSA <sup>®</sup> ) with Traction Control	•	•	•	•	•
ASSIVE SAFETY	DX	LX	SE	EX	EX-L NAVI
-point front seat belts with automatic tensioning system	•	•	•	•	ex-L NAVI
-point rear seat belts	•	•	•	•	•
-point real seat betts Jext-Generation Advanced Compatibility Engineering™ (ACE™) body structure		•		•	•
Childproof rear door locks		•	•	•	•
Dual-stage, multiple-threshold front airbags (SRS)	•	•	•	•	•
Side curtain airbags with rollover sensor system	•	•	•	•	•
martVent™ side airbags	•	•	•	•	•
HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup>		•	•	•	•
ower Anchors and Tethers for Children (LATCH)	•	•	•	•	•
PRIVER-ASSIST TECHNOLOGY	DX	LX	SE	EX	EX-L NAV
Honda LaneWatch™ blind spot display²	DX	LX	3L		EX ENAVI
EXTERIOR	DX	LX	SE	EX	EX-L NAVI
ody-coloured door handles		•	•	•	•
ody-coloured rear roofline spoiler		•	•	•	•
ront grille chrome accent garnish			•	•	•
ront splash guards	•	•	•	•	•
olding door mirrors	• Block	Podu polo mad	• Body coloured	• Body poloured	Podu orlani
Heated power door mirrors	Black	Body-coloured •	Body-coloured •	Body-coloured •	Body-coloured
lood insulator ntegrated fog lights	•	•	•	•	•
itegrated fog lights ED brake lights	•		•	•	•
fulti-reflector halogen headlights	With auto-off	With auto-off	With auto-on/off	With auto-on/off	With auto-on/of
one-touch power moonroof with tilt feature			The date on you	•	•
tear window defroster	•	•	•	•	•
ntermittent windshield wipers		•	•	•	•
ntermittent rear window wiper/washer	•	•	•	•	•
oof-mounted antenna	•	•	•	•	•
firror-integrated LED turn indicators					•
OMFORT & CONVENIENCE	DX	LX	SE	EX	EX-L NAVI
	1	2	2	2	2
2-volt power outlet		•	•	•	•
	•				
djustable tilt and telescopic steering column	•	•	•	•	
djustable tilt and telescopic steering column ir conditioning with air-filtration system	•	•	•	•	
djustable tilt and telescopic steering column ir conditioning with air-filtration system utomatic climate control with air-filtration system	•	•		•	•
djustable tilt and telescopic steering column ir conditioning with air-filtration system utomatic climate control with air-filtration system argo area light		•			:
odjustable tilt and telescopic steering column kir conditioning with air-filtration system kutomatic climate control with air-filtration system Cargo area light Cargo area tie-down anchors		•			•
Adjustable tilt and telescopic steering column  Air conditioning with air-filtration system  Automatic climate control with air-filtration system  Cargo area light  Cargo area tie-down anchors  Cargo cover			•		•
Adjustable tilt and telescopic steering column  Air conditioning with air-filtration system  Automatic climate control with air-filtration system  Cargo area light  Cargo area tie-down anchors  Cargo cover  Carpet floor mats		· · · ·	•		•
2-volt power outlet Adjustable tilt and telescopic steering column Air conditioning with air-filtration system Automatic climate control with air-filtration system Cargo area light Cargo area tie-down anchors Cargo cover Cargo foor mats Driver's and front passenger's vanity mirrors Front door-pocket storage bins	:		•	•	

COMFORT & CONVENIENCE (CONTINUED)  Display Audio Systam <sup>2</sup> with Handal ink <sup>1823</sup> Next Congration and	DX	LX	SE	EX	EX-L NAVI
Display Audio System <sup>2</sup> with HondaLink <sup>™2,3</sup> Next Generation and Honda Satellite-Linked Navigation System <sup>™2,5</sup> with bilingual Voice Recognition					•
Immobilizer theft-deterrent system	•	•	•	•	•
Map lights	•	•	•	•	•
Multi-angle rearview camera <sup>2</sup>	•	With dynamic guidelines	With dynamic guidelines	With dynamic guidelines	With dynamic guidelines
Dne-touch turn signals	•	•	•	•	•
Passenger-side seatback pocket		•	•	•	•
Power door locks	•	•	•	•	•
Power windows	•				
Power windows with auto-up/down driver's window		•	•	•	•
Proximity key entry system with pushbutton start					•
Remote entry system with security system	•	•	•	•	
Maintenance Minder™ system	•	•	•	•	•
Steering wheel-mounted cruise control Fachometer		•	•	•	•
	•	•	•	•	•
SEATING & TRIM	DX	LX	SE	EX	EX-L NAVI
60/40 Split 2nd-Row Magic Seat®	•	•	•	•	•
Adjustable front seat head restraints	•	•	•	•	•
Centre console with armrest and storage compartment		•	•	•	•
Driver's seat with manual height adjustment	•	•	•	•	•
Heated front seats		•	•	•	•
Leather-trimmed seating surfaces					•
eather-wrapped steering wheel eather-wrapped shift knob			•	•	•
		•	•	•	•
Reclining front and rear seatbacks Seating capacity	5	5	5	5	• 5
ENTERTAINMENT	DX	LX	SE	EX	EX-L NAVI
60-watt AM/FM/CD audio system with MP3/Windows Media <sup>®</sup> Audio playback capability and 4 speakers	•	•			
I8O-watt AM/FM/CD audio system with MP3/Windows Media* Audio olayback capability and 6 speakers			•	•	•
Bluetooth® Streaming Audio <sup>2,3</sup>	•	•	•	•	•
5-inch colour LCD screen	•				1 1 2 1 2
Display Audio System <sup>2</sup> with HondaLink <sup>M2,3</sup> Next Generation		•	•	•	Including Navigation
HDMI" (High-Definition Multimedia Interface) input jack³ HD Radio™ <sup>6</sup>		٠	•	•	•
lluminated steering wheel-mounted audio controls		•	•	•	•
MP3/auxiliary input jack	•				
Siri Eyes Free compatibility <sup>2,3</sup>		•	•	•	•
SiriusXM <sup>™2,7</sup>					•
Text message function <sup>2,3</sup> JSB device connector <sup>3</sup>	1	•	•	•	•
	1	2	2	2	2
FUEL ECONOMY <sup>®</sup> (L/100 KM)	DX	LX	SE	EX	EX-L NAV
Manual transmission (City/Hwy/Combined)	8.1/6.6/7.4	8.1/6.6/7.4	8.1/6.6/7.4	N/A	N/A
Continuously variable transmission (CVT) (City/Hwy/Combined)	N/A	7.0/5.9/6.5	7.0/5.9/6.5	7.6/6.4/7.0	7.6/6.4/7.0
DIMENSIONS	DX	LX	SE	EX	EX-L NAV
Cargo volume – rear seat up/down (L)	470/1492	470/1492	470/1492	470/1492	470/1492
Curb weight – MT/CVT (kg)	1133/N/A	1149/1168	1160/1179	N/A/1197	N/A/1204
Fuel tank capacity (L)	40	40	40	40	40
Ground clearance – no-load/full-load (mm)	127/102	127/102	127/102	127/102	127/102
leadroom – front/rear (mm)	1003/953	1003/953	1003/953	964/954	964/954
Height (mm)	1524	1524	1524	1524	1524
F	1308/1145	1308/1145	1308/1145	1308/1145	1308/1145
	1052/997	1052/997	1052/997	1052/997	1052/997
egroom – front/rear (mm)	1001	4064	4064	4064	4064
egroom – front/rear (mm) ength (mm)	4064				
egroom – front/rear (mm) ength (mm) vassenger volume (L)	2710	2710	2710	2656	2656
egroom – front/rear (mm) ength (mm) eassenger volume (L) shoulder room – front/rear (mm)	2710 1393/1336	2710 1393/1336	1393/1336	1393/1336	1393/1336
egroom – front/rear (mm) ength (mm) eassenger volume (L) shoulder room – front/rear (mm) frack – front/rear (mm)	2710 1393/1336 1481/1473	2710 1393/1336 1481/1473	1393/1336 1476/1466	1393/1336 1476/1466	1393/1336 1476/1466
Legroom - front/rear (mm) Length (mm) Passenger volume (L) Shoulder room - front/rear (mm) Track - front/rear (mm) Turning radius - curb-to-curb (m)	2710 1393/1336 1481/1473 5.3	2710 1393/1336 1481/1473 5.3	1393/1336 1476/1466 5.3	1393/1336 1476/1466 5.3	1393/1336 1476/1466 5.3
Legroom – front/rear (mm) Length (mm) Passenger volume (L) Shoulder room – front/rear (mm) Track – front/rear (mm) Furning radius – curb-to-curb (m) Wheelbase (mm)	2710 1393/1336 1481/1473 5.3 2530	2710 1393/1336 1481/1473 5.3 2530	1393/1336 1476/1466 5.3 2530	1393/1336 1476/1466 5.3 2530	1393/1336 1476/1466 5.3 2530
Hip room – front/rear (mm) Legroom – front/rear (mm) Length (mm) Passenger volume (L) Shoulder room – front/rear (mm) Track – front/rear (mm) Training radius – curb-to-curb (m) Wheelbase (mm) Width (mm) Width – including door mirrors/mirrors folded (mm)	2710 1393/1336 1481/1473 5.3	2710 1393/1336 1481/1473 5.3	1393/1336 1476/1466 5.3	1393/1336 1476/1466 5.3	1393/1336 1476/1466 5.3

<sup>1.</sup> Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
3. Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.
4. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
5. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
6. Coverage varies by market.
7. Only available in certain areas legislates areas legislates are advantaged.

Octoorage varies by market.

7. Only available in certain areas. Includes a no-charge trial of three months.

8. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.

# Trims

### FIT DX

### KEY FEATURES:

- 130-hp¹, 1.5-litre, 16-valve, Direct Injection, DOHC, i-VTEC® 4-cylinder engine
- 15" wheels with full covers
- 4-wheel Anti-lock Braking System<sup>2</sup>
- Electronic Brake-force Distribution (EBD)
- Brake Assist
- 6-speed manual transmission (MT)
- 60/40 Split 2nd-Row Magic Seat<sup>®</sup>
- 160-watt AM/FM/CD audio system with MP3/Windows Media® Audio playback capability and 4 speakers
- 5-inch colour LCD screen
- 12-volt power outlet
- Adjustable tilt and telescopic steering column
- Bluetooth® Streaming Audio<sup>2,3</sup>
- · Cargo area light
- Driver's and front passenger's vanity mirrors
- · Dual-stage, multiple-threshold front airbags (SRS)
- · Heated power door mirrors
- Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure
- · Side curtain airbags with rollover sensor system
- SmartVent™ side airbags
- Eco Assist™ system
- Front door-pocket storage bins
- Fuel consumption display
- HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface<sup>2,3</sup>
- Hill Start Assist<sup>2</sup>
- Immobilizer theft-deterrent system
- · Intermittent rear window wiper/washer
- Intermittent windshield wipers
- LED brake lights
- Electric Power-Assisted Rack-and-Pinion Steering (EPS)
- Multi-angle rearview camera<sup>2</sup>
- Power door locks
- Power windows
- · Rear window defroster
- Remote entry system with security system
- Maintenance Minder™ system
- USB device connector
- Vehicle Stability Assist<sup>2</sup> (VSA®) with Traction Control

### ADDS TO OR REPLACES DX FEATURES:

- 12-volt power outlet (2)
- · Air conditioning with air-filtration system
- Available continuously variable transmission (CVT)
- · Available ECON mode button (CVT model)
- · Body-coloured heated power door mirrors
- · Body-coloured rear roofline spoiler
- · Cargo cover
- · Centre console with armrest and storage compartment
- Display Audio System<sup>2</sup> with HondaLink™<sup>2</sup> Next Generation
- HDMI® (High-Definition Multimedia Interface) input jack3
- · Heated front seats
- HondaLink™ Assist Automatic Emergency Response System<sup>2,3,4</sup>
- · Power windows with auto-up/down driver's window
- Siri Eyes Free compatibility2.
- · Steering wheel-mounted cruise control
- Text message function<sup>2,3</sup>
- USB device connector (2)3

# FIT SE

### ADDS TO OR REPLACES LX FEATURES:

- 16" alloy wheels
- 180-watt AM/FM/CD audio system with MP3/Windows Media® Audio playback capability and 6 speakers
- · Front grille chrome accent garnish
- · Leather-wrapped steering wheel
- Multi-reflector halogen headlights with auto-on/off

### ADDS TO OR REPLACES SE FEATURES:

- Continuously variable transmission (CVT)
- Honda LaneWatch™ blind spot display<sup>2</sup>
- Integrated fog lights
- · One-touch power moonroof with tilt feature
- Steering wheel-mounted paddle shifters

# FIT EX-L NAVI

### ADDS TO OR REPLACES EX FEATURES:

- · Automatic climate control with air-filtration system
- Display Audio System<sup>2</sup> with HondaLink™<sup>2,3</sup> Next Generation and Honda Satellite-Linked Navigation System™ with bilingual Voice Recognition
- HD Radio<sup>™</sup>
- Leather-trimmed seating surfaces
- · Leather-wrapped shift knob
- · Mirror-integrated LED turn indicators
- Proximity key entry system with pushbutton start
- SiriusXM™²

<sup>1.</sup> Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

<sup>2.</sup> None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

<sup>3.</sup> Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.

<sup>4.</sup> Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception. 5. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

<sup>7.</sup> Only available in certain areas. Includes a no-charge trial of three months.

# Exterior & Interior Colours

