2023 Civic Type R

| ENGINE | TYPE R |
|--|-------------------|
| 2.0-litre, 16-valve, Direct Injection, DOHC, VTEC®, turbocharged 4-cylinder | • |
| Horsepower @ rpm¹ | 315 @ 6500 |
| Forque (lbft. @ rpm)1 | 310 @ 2600 - 4000 |
| Displacement (cc) | 1996 |
| missions rating | Tier 3 Bin 50 |
| ore and stroke (mm) | 86 x 85.9 |
| Compression ratio | 9.8:1 |
| Drive-by-Wire Throttle System™ | |
| Recommended fuel | Premium |
| DRIVETRAIN | |
| | TYPE R |
| s-speed manual transmission (MT) with rev-match control | • |
| mode drive system (Comfort/Sport/+R/Individual) | • |
| ront-wheel drive | • |
| Helical limited slip differential | • |
| CHASSIS | TYPE R |
| | |
| " aluminum-alloy wheels (Piano Black) | • |
| daptive damper system | • |
| gile Handling Assist ² (AHA) | • |
| lichelin Pilot Sport 4S tires | • |
| apless fueling system | • |
| ariable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS) | • |
| lectronic Parking Brake (EPB) with automatic brake hold | • |
| Front and rear stabilizer bars (mm) | 29/20.5 |
| ndependent strut front suspension | Dual-axis |
| ndependent multi-link rear suspension | • |
| ower-assisted and ventilated front disc/solid rear disc brakes – front/rear | |
| rembo® 4-piston aluminum front brake calipers | • |
| traight Driving Assist | • |
| | • |
| ire Repair Kit (TRK) | • |
| ACTIVE SAFETY | TYPE R |
| -wheel Anti-lock Braking System ² (ABS) | • |
| uto high beam | • |
| rake Assist | • |
| | • |
| lectronic Brake-force Distribution (EBD) | • |
| Collision Mitigation Braking System™2 (CMBS®) (HS*) | • |
| orward Collision Warning (FCW) system² (HS*) | • |
| iill Start Assist ² | • |
| ane Departure Warning (LDW) system² (HS*) | • |
| load Departure Mitigation (RDM) system² (HS*) | • |
| raffic sign recognition (HS*) | • |
| /ehicle Stability Assist² (VSA*) with Traction Control | |
| IS* = Feature is a component of the Honda Sensing® suite of safety and driver assist features. | |
| | |
| ASSIVE SAFETY | TYPE R |
| lext-Generation Advanced Compatibility Engineering™ (ACE™) body structure | • |
| hildproof rear door locks | • |
| irbag system (front) | • |
| ide curtain airbags with rollover sensor system | • |
| ide airbags | • |
| tear side airbags | • |
| inee airbags, driver and front passenger | • |
| HondaLink™ Assist Automatic Emergency Response System ^{2,3,4} | • |
| Initiallik Assist Automatic Emergency response system | · |
| RIVER ASSIST TECHNOLOGY | TYPE R |
| daptive Cruise Control (ACC) ² (HS*) | • |
| lind Spot Information (BSI) system ² | |
| ane Keeping Assist System (LKAS) ² (HS*) | • |
| ear Cross Traffic Monitor system ² | |
| | |
| arking Sensors (4 front; 4 rear) | • |
| IS* = Feature is a component of the Honda Sensing® suite of safety and driver assist features. | |
| XTERIOR | TYPE R |
| luminum hood with air intake | • |
| ody-coloured door handles | |
| lack-coloured heated power door mirrors | • |
| | • |
| riple centre exhaust with chrome finisher | |
| ctive exhaust valve | • |
| olding door mirrors | • |
| ntermittent rear window wiper/washer | • |
| ED front turn signal indicators | • |
| ED headlights (High and low beam) | With auto-on/off |
| ED taillights | • |
| firror-integrated LED turn signal indicators | • |
| | |
| ear window defroster | • |
| ear wing spoiler | • |
| led Honda "H" badges (front/rear) | • |
| /ariable intermittent windshield wipers | • |
| | |

| COMFORT & CONVENIENCE | TYPE R |
|--|-------------------------------------|
| 10.2" colour TFT full digital driver meter display | • |
| Rev indication | • |
| Acoustic windshield | • |
| Auto-dimming rearview mirror | • |
| Automatic climate control with air-filtration system | Dual-zone |
| Cargo area light | • |
| Driver's and front passenger's vanity mirrors | Illuminated |
| Exterior temperature indicator | • |
| Front and rear door pockets | • |
| HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface ^{2,3} | • |
| Immobilizer theft-deterrent system | • |
| Maintenance Minder™ system | • |
| Map lights | • |
| Multi-angle rearview camera ² with dynamic guidelines | • |
| Multi-functional centre console storage | • |
| One-touch turn signals | • |
| Power windows with auto-up/down driver's and passenger's window | • |
| Power door locks | • |
| Proximity key entry system with pushbutton start | • |
| Rear-seat heater ducts | • |
| Cargo cover | • |
| Security system | • |
| Steering wheel-mounted cruise control | • |
| Textured aluminum pedals | • |
| Tilt and telescopic steering column | • |
| Aluminum shift knob with suede shift boot | • |
| Type R serial number plate | • |
| Walk-away door lock | • |
| Wireless charging | • |
| SEATING & TRIM | TYPE R |
| Seating capacity | 4 |
| 60/40 split fold-down rear seatback | • |
| Driver's seat with 6-way manual adjustment | Red suede-effect fabric sport |
| | seats with Type R logo |
| Front passenger's seat with 4-way manual adjustment | Red suede-effect fabric sport |
| Floor meta | seats with Type R logo |
| Floor mats | Front mats with Type R logo |
| Leather-wrapped steering wheel | |
| ENTERTAINMENT | TYPE R |
| BOSE® Premium Sound System with 12 speakers | • |
| Apple CarPlay ^{®2,3} / Android Auto™ ^{2,3} | Wired/wireless |
| Bluetooth® Streaming Audio ^{2,3} | • |
| 9" touchscreen display | Including Navigation ^{2,5} |
| HD Radio™ ⁶ | • |
| Illuminated steering wheel-mounted audio controls | • |
| Siri Eyes Free compatibility ^{2,3} | • |
| SiriusXM™2.7 | • |
| Speed-sensitive Volume Control (SVC) | • |
| USB device connector ³ | 2 |
| Wi-Fi tethering ³ | • |
| FUEL ECONOMY ⁸ (L/100 KM) | TYPE R |
| Manual transmission (City/Hwy/Combined) | 10.8/8.3/9.7 |
| | |

| DIMENSIONS | TYPE R |
|--|---------------|
| Cargo volume – rear seats up/down ⁹ (L) | 695.6/1204 |
| Curb weight (kg) | Coming Soon |
| Fuel tank capacity (L) | 47 |
| Ground clearance - no-load/full-load (mm) | 122.7/110.6 |
| Headroom - front/rear (mm) | 998/942 |
| Height (mm) | 1406.59 |
| Hip room – front/rear (mm) | TBC/1243 |
| Legroom - front/rear (mm) | 1074/950 |
| Length (mm) | 4595.55 |
| Passenger volume (L) | 2803.7 |
| Shoulder room – front/rear (mm) | TBC/1422 |
| Track – front/rear (mm) | 1626.2/1614.3 |
| Turning radius (m) (curb-to-curb) | 6 |
| Wheelbase (mm) | 2735 |
| Width – including mirrors/mirrors folded (mm) | Coming Soon |

^{1.} Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

^{1.} Horsepower and torque calculations relied. SAE het, Rev. 09/04, SAE 1349 procedures.

2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

^{3.} Only compatible with certain devices and operating systems. Operation may be dependent upon GPS satellite signal reception and available cellular data and/or voice connection. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.

4. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.

^{5.} Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

^{6.} Coverage varies by market.

^{7.} Only available in certain areas. Includes a no-charge trial of three months.

^{8.} Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.

^{9.} Based on SAE J1100 cargo volume measurement standard, plus rear footwell space and front seats moved forward.